MOBILE COUNTY COMMISSION

205 Government Street 8TH Fl. South Mobile, Alabama 36644

BID INVITATION

BID NO. 70-24

JULY 12, 2024

In accordance with General Act No. 217, Special Session 1967, notice is hereby given that the Mobile County Commission, Mobile, Alabama, will receive bids on the following items: 1)LIQUID LAUNDRY BREAK AND SUDS COMBINATION. 2)LIQUID LAUNDRY DESTAINER. 3)LIQUID SOURING AGENT AND SOFTENER FOR MOBILE COUNTY FACILITIES AS PER ATTACHED SPECIFICATIONS: NOTE: PRICES MUST REMAIN FIRM FROM OCTOBER 1, 2024 THROUGH SEPTEMBER 30, 2027.

Any questions or comments concerning the bid requirements must be brought to the attention of Susan Holland, Purchasing Agent 251-574-8613, 205 Government St. 8^{th} Fl. S., Mobile, Alabama 36644, to or at bid opening or will be forever waived.

All bidders shall furnish a five percent (5%) bid bond on any contract exceeding \$30,000: provided that bonding is available for services, equipment or materials. Bid bond will be accepted in the form of a certified check, cashier's check, postal money order, etc.

Out of State Corporations shall furnish a Certificate of Authority to transact business in the State of Alabama. Out of State limited liability companies shall proof of registration to transact business in this state. Alabama law requires that a successful bidder, if it has employees in the State of Alabama, provide proof of enrollment in E-Verify prior to the award of a contract. (See enclosed notice which must be completed, signed and returned with your bid.)

If applicable to a contract resulting from this invitation, the successful bidder must comply with the Contractor Felony Investigation Policy, available in the Purchasing Department or at mobilecountyal.gov.

THE MOBILE COUNTY COMMISSION DOES NOT DISCRIMINATE ON THE BASIS OF RACE, AGE, SEX, NATIONAL ORIGIN.

F.O.B. Mobile DATE OF DELIVERY TERMS You are invited to bid on the above specifications. The restrictions contained herein are for the purpose of fixing a quality level, and any deviation therefrom must, in detail establish that it meets the quality requirements.

BIDS WILL BE RECEIVED UNTIL 10:00 A.M. AUGUST 7 ,2024.

ALL BIDS MUST BE SEALED, THE WORD"BID", THE BID NUMBER AND THE NAME OF THE ITEM MARKED ON

THE OUTSIDE OF THE ENVELOPE. BIDS WILL BE RECEIVED BY THE RECEPTIONIST IN THE OFFICE OF THE COUNTY COMMISSION ADMINISTRATOR, 205 GOVERNMENT STREET ON THE EIGHTH FLOOR OF THE MOBILE COUNTY GOVERNMENT PLAZA. FAILURE TO OBSERVE THE ABOVE INSTRUCTIONS WILL CONSTITUTE GROUNDS FOR REJECTION OF YOUR BID. THE COMMISSION RESERVES THE RIGHT TO REJECT ANY OR ALL BIDS.

MOBILE COUNTY COMMISSION

E. EDWIN KERR, COUNTY ADMINISTRATOR

We propose to meet the above specifications for the sum

of \$ see attached list.

Delivery can be made in_____days from receipt of award.

RESPECTFULLY

BY	





IMPORTANT THIS DOCUMENT MUST BE COMPLETED, SIGNED AND RETURNED WITH YOUR BID

As a condition for the award of a competitively bid contract to a company having one or more employees in the State of Alabama, the Beason-Hammon Alabama Taxpayer Citizenship and Protection Act, codified at Section 31-13-1, et seq., Code of Alabama (1975), as amended, requires that the company provide, in advance, proof of enrollment in E-Verify. E-Verify is an internet based system operated by the U.S. Department of Homeland Security, which may be used to determine the eligibility of new hires to work in the United States. Further information about enrollment in E-Verify may be found at www.uscis.gov/everify and www.Verify.Alabama.gov.

As proof of enrollment in E-Verify, Mobile County requires a copy of the electronically signed signature page of the contractor's Memorandum of Understanding with the U.S. Department of Homeland Security or Alabama Department of Homeland Security (contractors having fewer than 25 employees may enroll in E-Verify through the state Department of Homeland Security).

Please complete	e the following and return wit	h your bid:
State of Alabam	na	(company name) has no employees in the
Or		
copy of the electrattached.	tronically signed signature pag	(company name) is enrolled in E-Verify and a ge of the company's Memorandum of Understanding is
Date	Signature	Title

a anys





Company ID Number: 477783

To be accepted as a participant in E-Verify, you should only sign the Employer's Section of the signature page. If you have any questions, contact E-Verify at 888-454-4218.

\$2800184¢	neitsofiinet laeyolqm3 neimuM	
MOSILE	County or Parish:	
	ejemellA yneqmoO :ssenbbA	
Ab864 AL 3664¢		
Sth Floor South the Tewor		
jeerJ2 JnemnavoD 202 _{, 2}	setbbA yillicaT ynaqmcO	
noiszimmoO ylnuoO elidoM:s	Company Nam	
	oy oʻi gniʻislər noʻüsmroʻinl	
i msigon Program ماناه الله الله الله الله الله الله الله	10Ì11	
=18(1	ี ราประก <u>ฏใ</u> ช้	
12/21/2011	Electronically Signed	
=HILL	USCIS Verification Division Vanne (Plassa Type or Print)	
noisiviO noissoilineV – YsinuseS buslamoH to tnampsqeO		
eleG	Signalure	
12/21/2011	Electronically Signed	
=liT	Connie Mudson Vane (Please Type or Print)	
noizzi m mo!	Employer Möbile County	

Date: BID #70-24	
1.)LIQUID LAUNDRY BREAK AND SUDS COMBINATION. 2.) LIQUID LAUNDRY I 3.)LIQUID SOURING AGENT AND SOFTENER FOR MOBILE COUNTY FACILITIES:	DESTAINER.
Name of Company:	
Company Representative(Print)	
Company Representative(Signature)	
Address	
Phone Number ()	
Federal ID Number	
Email Address	
Company Web Address	

PLEASE ATTACH A CURRENT W-9.

SPECIFICATIONS FOR BID #70-24:

1.)LIQUID LAUNDRY BREAK AND SUDS COMBINATION. 2.) LIQUID LAUNDRY DESTAINER. 3.) LIQUID SOURING AGENT AND SOFTENER FOR MOBILE COUNTY FACILITIES:

LAUNDRY CHEMICALS

VENDOR MUST BE ABLE TO INSTALL DISPENSING EQUIPMENT UPON REQUEST OF DEPARTMENT REPRESENTATIVE.

BUILT DETERGENT CONCENTRATED SURFACTANT. PHOSPHATE-FREE INSTITUTIONAL STRENGTH. PRICE PER 5 GALLON PAIL. MUST SUPPLY AUTOMATIC DISPENSING EQUIPMENT WITH LOAD INFORMATION CAPABILITY. U.S. CHEMICAL COMPAC OR EQUIVALENT.

CHLORINE DESTAINER INSTITUTIONAL STRENGTH. PRICE PER 5 GALLON PAIL. NETCARE LIQUID LAUNDRY DESTAINER OR EQUIVALENT. MUST SUPPLY AUTOMATIC DISPENSING EQUIPMENT WITH LOAD INFORMATION CAPABILITY.

SOFTENER AND SOURING AGENT WITH OPTICAL BRIGHTENERS. PRICE PER 5 GALLON PAIL. NETCARE LIQUID SOURING AGENT AND SOFTENER OR EQUIVALENT. MUST SUPPLY AUTOMATIC DISPENSING EQUIPMENT WITH LOAD INFORMATION CAPABILITY.

NOTE:

- 1.VENDORS ARE RESPONSIBLE FOR FURNISHING AND MAINTAINING ALL DISPENSING EQUIPMENT. DISPENSING EQUIPMENT WILL BE IN A JAIL AND WILL NEED TO BE SECURE FROM INMATES.
- 2.BRAND NAMES LISTED ARE USED TO DESCRIBE THE GENERAL TYPE OF PRODUCTS USED AND ARE NOT INTENDED TO LIMIT OR EXCLUDE ANY OTHER BRANDS THAT MEET SPECIFICATIONS.
- 3.BIDS FOR DIFFERENT SIZES OF DISPENSING CONTAINERS WILL BE ACCEPTED AS AN ALTERNATIVE BID, AND MUST BE APPROVED BY THE MOBILE METRO JAIL.
- 4. THIS BID WILL BE AWARDED ON AN ALL OR NONE BASIS. (ALL THREE ITEMS WILL BE AWARDED TO THE LOWEST COMBINED BIDDER).
- 5. FOR FURTHER INFORMATION OR QUESTIONS, CONTACT COUNTY PURCHASING AT (251)574-8613.
- 6.BID PRICES ARE TO REMAIN FIRM FROM OCTOBER 1, 2024 THROUGH DECEMBER 31,2027.

COMPAC

A HEAVY-DUTY, ECONOMICAL LIQUID LAUNDRY BREAK AND SUDS COMBINATION

FEATURES:

BENEFITS:

- *Concentrated Surfactant System
- *Low Alkalinity Formula
- *Phosphate Free
- *Combination Product
- *Institutional Strength

- *Provides Excellent Soil Removal
- *Maximizes Linen Life
- *Environmentally Friendly
- *Reduces Product Inventory
- *Removes Heavy Soils

RECOMMENDED USES:

For Institutional Laundry Use Only. Do Not Use in Home Type Machines.

SPECIFICTIONS:

*Color: Green
*Scent: Neutral

*Character: slightly Viscous Liquid

*Foam: Moderate

*pH use dilution: 10.5-11.5 *Phosphorous Content: 0.00%

*Biodegradable: Yes

*Approvals: CRC

IMPORTANT: Read and understand label and Material Safety Data Sheet (MSDA) for complete listing of hazards, precautions, first aid statements, storage and handling information. MSDS Sheets are available from the distributor of this product.

PRODUCT DIRECTIONS:

Equipment to Use: Recommended Automatic Liquid Laundry Injection System.

Directions for Use: Pre-sort laundry prior to wash. Pre-soak and/ or pro-spot laundry when necessary. Place proper amount of soiled linen into laundry machine. In wash cycle, inject this product directly from the shipping container. When bleaching, inject a recommended liquid laundry destainer into the laundry machine directly from the shipping container. When souring and sorting in the final rinse cycle, inject a recommended liquid sour and softener into laundry machine directly from the shipping container. A final pH pf 5.56-6.5 is recommended for the linen. NOTE: Concentrations will vary due to environmental conditions, soil and load size. Your sanitation specialist will adjust properly to meet your needs.

PACKAGING:

This product is available in 55 gallon drums.

LIQUID LAUNDRY DESTAINER

An Institutional Strength Laundry Destaining Agent.

FEATURES:

BENEFITS:

- *Institutional Strength Formula
- *Powerful Destaining Action
- *High-Strength Chlorine Base
- *Use Less Product, Cost Effective
- *Eliminates Tough Stains from Fabric
- *Removes Organic Stains Quickly

RECOMMENDED USES:

For Use on white, cotton fabrics. Do not use on colors, silk, wool or other fabrics harmed by chlorine poly bleach. (See Fabric Care Instructions). For Institutional Laundry Use Only. DO NOT use in Home Type Machine.

SPECIFICATIONS:

*Color: Yellow

*Scent: Chlorine Odor

*Character: Non-Viscous Liquid
*Foam: None

*pH Use Dilution: 10.0-10.5 *Phosphorous Contend: 0.00%

*Biodegradable: Yes

*Approvals: CRC

IMPORTANT: Read and understand label and material Safety Data Sheet (MSDS) for complete listing of hazards, precautions, first aid statements, storage and handling information. MSDS sheets are available from the distributor of this product.

PRODUCT DIRECTIONS:

Equipment to Use: Recommended Automatic Liquid Laundry Injection System.

Directions for Use: Pre-sort laundry prior to wash. Pre-soak and/or pre-spot laundry when necessary. Place proper amount of soiled linen into laundry machine. In wash cycle, inject recommended liquid laundry destainer and a recommended liquid laundry detergent, or inject a recommended liquid break and suds directly from the shipping container. When souring and softening in the final rinse cycle, inject a recommended liquid sour and softener into the laundry machine directly from the shipping container. A final pH of 5.5-6.5 is recommended for the line. NOTE: Concentrations will vary due to environmental conditions and load size. Your sanitation specialist will adjust properly to meet your needs.

PACKAGING:

This product is available in 15 gallon drums.

LIQUID SOURING AGENT AND SOFTENER

A Quality Softener and Souring Agent for Institutional Laundry

FEATURES:

BENEFITS:

- *Combination Product
- *Contains Souring Agents
- *Contains Optical Brighteners *Effective Softening Agents
- *Pleasantly Scented

- *Reduces Product Inventory
- *Provides Proper pH Control
- *Brightens/Whitens Linen
- *Provides, Soft, Static-Free Linen
- *Leaves Linen Smelling Clean & Fresh

RECOMMENDED USES:

For Institutional Laundry Use Only. Do not use in Home Type Machines. Do Not Use on Visa Linens.

SPECIFICATIONS:

*Color: Pink

*Scent: Fresh Floral

*Character: Viscous Liquid

*Foam: Low

*pH Use Dilution: 5.0-6.0

*Phosphorus Content: Not over 3.0%

*Biodegradable: Yes

*Approvals: CRC

IMPORTANT: Read and understand label and Material Safety Data Sheet (MSDS) for complete listing

of hazards, precautions, first-aid statements, storage and handling information. MSDS Sheets are available from the distributor of this product.

PRODUCT DIRECTIONS:

Equipment to Use: Recommended Automatic Liquid Laundry Injection System.

Directions for Use: Pre-sort laundry prior to wash. Pre-soak and /or prespot laundry when necessary.

Place proper amount of soiled linen into laundry machine. In wash cycle, inject a recommended liquid

Laundry break and a recommended liquid laundry break and suds directly from shipping container.

When bleaching, inject a recommended liquid laundry bleach into the laundry machine directly from

shipping container. When souring and softening in the final rinse cycle, inject this product into laundry

machine directly from the shipping container. A final pH pf 5.5-6.5 is recommended for the line.

NOTE: Concentrations will vary due to environmental conditions and load size. Your sanitation specialist

will adjust properly to meet our needs.

PACKAGING:

This product is available in 15 gallon drums.

		TOTAL \$
3.	LIQUID SOURING AGENT	PER DRUM \$
2.	LIQUID LAUNDRY DESTAINER	PER DRUM \$
1.	LIQUID LAUNDRY COMBINATION	PER DRUM \$